

Technical Specifications

Model	OV9712 Camera Module
Pixel	1MP 1280x800
Sensor	OV9712(1/4")CMOS
FOV (Focus Length)	Customizable
Output Format	YUY2 /YUV/JPEG /MJPEG
Frame Rate	WXGA(1280x800):30 fps 640x400:60 fps FPS of USB camera is determined by DSP
Application Areas	Notebook/Tablet/Advertising Machine; Smart Home; Visual Intercom; Facial Recognition; Drone; Motion Camera; Security Monitoring; Driving Recorder/Police Enforcement Device.
Interface	DVP/USB
Size	Customizable





HDF9712-D46 V1 (14X14-160°)
L*W*H:46*18*12.8mm(镜头可选)




HDF9712-A27+P (8X8-116°)
L*W:21*12.5mm(镜头可选)




AS-AA218A79D18-155(8X8-60°)
L*W*H:154*8*6mm(HDMI转换器)





AS-AA218A79D5-230
L*W:230*12.5mm



HDF9712-LED
L*W:38*38mm



HDF720P-USB2-V1.0(USB)
L*W:60*8mm(镜头可选)



HDF720P-USB2-FPC-V1.0

分体式USB免驱

L*W:20*15mm(PCB板)

L*W:40*8mm(FPC 镜头可选)